

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	10	(de\$blur\$4 or deblur\$4) with vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 10:06
L21	39	(remov\$4 or eliminat\$4) with blur\$4 with vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:02
L22	3	(subtract\$4) with blur\$4 with vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:19
L23	45	382/255.ccls. and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:33
L24	8551	vector with project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:34
L25	410	vector with project\$4 and blur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:34
L26	2	(color near2 vector) with project\$4 and blur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:35
L27	410	(vector) with project\$4 and blur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:35

L28	284	(vector) with project\$4 and blur\$4 and (edge or border or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:35
L29	77	(vector) with project\$4 and blur\$4 same(edge or border or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:40
L30	2	(color near2 vector) with project\$4 and blur\$4 same(edge or border or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:41
L31	75	(color near2 vector) and blur\$4 same(edge or border or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:55
L32	267	(color near2 vector) and (blur\$4 or smooth\$4) same(edge or border or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:55
L33	12	(color near2 vector) with (blur\$4 or smooth\$4) same(edge or border or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:55
L35	1	"4996653".PN.	USPAT; USOCR	OR	OFF	2005/05/17 13:23
L37	9	((blur\$4)with vector with ((add\$3 or sum\$4 or summation) or (difference or subtract\$3))) and project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:32
L38	87	((blur\$4)with vector) and project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:34

L39	6	((blur\$4)with vector) with project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:35
L40	1	((deblur\$4)with vector) with project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:36
L41	1	((deblur\$4 or reblur\$4)with vector) with project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:36
L42	8	((deblur\$4 or reblur\$4)with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:46
L43	386	((deblur\$4 or reblur\$4 or blend\$4)with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:47
L44	51	((deblur\$4 or reblur\$4 or blend\$4)with color with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:52
L45	4320014	((deblur\$4 or reblur\$4 or blend\$4)with color with vector with add or adding or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:53
L46	0	(deblur\$4 or reblur\$4 or blend\$4)with color with vector with (add or adding or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:54

L47	4	(deblur\$4 or reblur\$4 or blend\$4)with color with vector with combin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:55
L48	51	(deblur\$4 or reblur\$4 or blend\$4)with color with vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:17
L49	6	("20020101419" "20030001851" "6288721" "6384824" "6518968" "6614431").PN. OR ("6765584").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 14:06
L50	3	(deblur\$4 or reblur\$4 or sharp\$5)with color with vector with (edge or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:41
L51	2	"5198902".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:51
L52	737	subtract\$4 with (blur\$4 or blend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:52
L53	13	subtract\$4 with (blur\$4 or blend\$4) same vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:13
L54	2	"5241372".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:15
L55	38	blur\$4 near2 contribution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:15

L56	1	"6072479".PN.	USPAT; USOCR	OR	OFF	2005/05/17 15:25
-----	---	---------------	-----------------	----	-----	------------------


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(deblur<in>metadata)"

Your search matched **14** of **1157693** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail

[» View Session History](#)[» New Search](#)**» Key****Modify Search**

(deblur<in>metadata)

**IEEE JNL** IEEE Journal or Magazine**IEE JNL** IEE Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IEE CNF** IEE Conference Proceeding**IEEE STD** IEEE Standard☐ Check to search only within this results set**Display Format:** ☒ Citation ☐ Citation & Abstract

- | Select | Article Information |
|--------------------------|--|
| <input type="checkbox"/> | 1. Selsmic wavelet estimation: a frequency domain solution to a geophysical noisy problem
Walden, A.T.; White, R.E.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 36, Issue 1, Jan. 1998 Page(s):287 - 297
AbstractPlus References Full Text: PDF(436 KB) IEEE JNL |
| <input type="checkbox"/> | 2. Image restoration in computed tomography: the spatially invariant point spread
Rathee, S.; Koles, Z.J.; Overton, T.R.;
Medical Imaging, IEEE Transactions on
Volume 11, Issue 4, Dec. 1992 Page(s):530 - 538
AbstractPlus Full Text: PDF(788 KB) IEEE JNL |
| <input type="checkbox"/> | 3. Motion-based motion deblurring
Nayar, S.K.; Ben-Ezra, M.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 26, Issue 6, June 2004 Page(s):689 - 698
AbstractPlus Full Text: PDF(2368 KB) IEEE JNL |
| <input type="checkbox"/> | 4. Adaptive Landweber method to deblur images
Lei Liang; Yuanchang Xu;
Signal Processing Letters, IEEE
Volume 10, Issue 5, May 2003 Page(s):129 - 132
AbstractPlus References Full Text: PDF(439 KB) IEEE JNL |
| <input type="checkbox"/> | 5. Real-time restoration of Images degraded by uniform motion blur in foveal active
Bonmassar, G.; Schwartz, E.L.;
Image Processing, IEEE Transactions on
Volume 8, Issue 12, Dec. 1999 Page(s):1838 - 1842
AbstractPlus References Full Text: PDF(436 KB) IEEE JNL |
| <input type="checkbox"/> | 6. Multiresolution Image acquisition and surface reconstruction
Das, S.; Ahuja, N.;
Computer Vision, 1990. Proceedings, Third International Conference on
4-7 Dec. 1990 Page(s):485 - 488
AbstractPlus Full Text: PDF(424 KB) IEEE CNF |


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((blur <or> blurring <or> blurred)<in>metadata)<and>(vector<in>metada..."

e-mail

Your search matched 11 of 73 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

» Key

Modify Search

((((blur <or> blurring <or> blurred)<in>metadata)<and>(vector<in>metadata))<and>(c

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- ☐ 1. **Multichannel edge enhancement in color image processing**
Tang, K.; Astola, J.; Neuvo, Y.;
Circuits and Systems for Video Technology, IEEE Transactions on
Volume 4, Issue 5, Oct. 1994 Page(s):468 - 479
[AbstractPlus](#) | Full Text: [PDF](#)(928 KB) IEEE JNL
- ☐ 2. **Vector median deblurring filter for colour image restoration**
Argenti, F.; Barni, M.; Cappellini, V.; Mecocci, A.;
Electronics Letters
Volume 27, Issue 21, 10 Oct. 1991 Page(s):1899 - 1900
[AbstractPlus](#) | Full Text: [PDF](#)(188 KB) IEE JNL
- ☐ 3. **A parallel algorithm for dynamic gesture tracking**
Quek, F.; Xin-Feng Ma; Bryll, R.;
Recognition, Analysis, and Tracking of Faces and Gestures in Real-Time Systems, 199
International Workshop on
26-27 Sept. 1999 Page(s):64 - 69
[AbstractPlus](#) | Full Text: [PDF](#)(664 KB) IEEE CNF
- ☐ 4. **Colour image interpolation for high resolution acquisition and display devices**
Herodotou, N.; Venetsanopoulos, A.N.;
Consumer Electronics, IEEE Transactions on
Volume 41, Issue 4, Nov. 1995 Page(s):1118 - 1126
[AbstractPlus](#) | Full Text: [PDF](#)(1172 KB) IEEE JNL
- ☐ 5. **Spatial-chromatic clustering for color image compression**
Wei Sun; Yongbao He;
Fuzzy Systems Proceedings, 1998. IEEE World Congress on Computational Intelligence
IEEE International Conference on
Volume 2, 4-9 May 1998 Page(s):1601 - 1604 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) IEEE CNF
- ☐ 6. **Angular multichannel sigma filter**
Lukac, R.; Smolka, B.; Plataniotis, K.N.; Venetsanopoulos, A.N.; Zavorsky, P.;
Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03). 2003 IEI
Conference on
Volume 3, 6-10 April 2003 Page(s):III - 745-8 vol.3